





Support multi-country charging plugs






J.K

Universal





Chinese

Europe





Swiss

South Africa





U.S./Japan

Australia



SPECIFICATIONS

Model No	M50	Car Charger Output	12V/10A
Capacity	5120Wh (51.2V/100Ah)	USB-A	QC3.0×1
PV Input	12-80V/20A.Max1200W	Cycle Life	≥3000 Cycles
AC Input	100-120V~60Hz / 1200W Max	AC Output	5000W (230V Version)
Acmput	220-240V~50Hz / 1500W Max		3600W (110V Version)
Size(L*W*H)	510*350*392mm		









A good helper for outdoor work

5120Wh / 5000W

Allows you to work anywhere and get any job done, as its 5120Wh capacity and 5000W output are capable of powering even your very heavy equipment. It's perfect for off-grid living, camping, tailgating, emergency preparedness, and more.

3 charging methods



Solar Charging 3 Hrs



AC Charging 2 Hrs



Car Charging 30 Hrs




Safe, Smart, And Continuously Evolving

The advanced Battery Management System and LiFePO4 chemistry bring the M50 incredible safety and durability. With the built-in dual-core microcomputer and Internet connection, the M50's firmware can be upgraded through your internet connection. There is no best, only better!



Smart Power Management



Battery Wake-up Pre-Charge System - 1.5A Trickle activation charge control





Over Discharge Protection



Overload Protection



Overcharge Protection



Short Circuit Protection



Overvoltage Protection



Over Temperature Protection



Low Temperature Protection

How to use M50

The M series is designed as a flexible power station that meets various scenarios and has different uses.









